



# LOCKTYPE<sup>®</sup>

Interchangeable ribbed rubber type for all printer

Extensive range of type styles  
Quick and easy to change print  
Styles for all languages  
Customized logos





ESTABLISHED IN 1979

**Boxed font sets**

Assortments of Locktype characters are available in letter fonts and figure fonts. They are stocked in natural rubber but are also available in Buna, PVC and Silicone. Two standard typestyles are stocked for fast shipment. To order, select the desire type style and size from the accompanying size chart.

**Locktype Set**

All the above styles are available in either A or Z sets containing:

A set

- 7 each letters AEN
- 5 each letters BCDFGHIJKLMOPRSTUVWZ
- 3 each letters QXY
- 2 each figures 0-9 and 5 each heiroglyphics ./-/,

Z set

- 10 each figures 0-9
- 3 each heiroglyphics ./-/,
- 1 each MFD MFG EXP LOT NO.

**Locktype Characters**

Individual letters or figures can be supplied separately in any quantity.

**Locktype Logotypes**

Combinations of letters or figures can be moulded as one piece for constantly used legends. Any special design or trade mark can be produced from supplied artwork

**Ribbed Base Sheets**

Locktype base material is the "cushion" that is attached to printing devices to hold the type. It can be adhere to coders, print wheels, print heads and hand stamps. Standard base sheet sizes are 600 mm x 250 mm, 190 mm x 300 mm. The ribs run in the long direction. Base material can also be ordered in custom sizes of in the form of coder rings. The standard thickness is .155". The back is plain unless adhesive backing is specified.

**STYLE KI-200**

LOCKTYPE 0123456789  
Style KI-206 2 Rib -1.5 mm.

LOCKTYPE 0123456789  
Style KI-208 2 Rib -2 mm.

LOCKTYPE 0123456789  
Style KI-210 2 Rib -2.5 mm.

LOCKTYPE 0123456789  
Style KI-212 2 Rib -3 mm.

LOCKTYPE 0123456789  
Style KI-214 2 Rib -3.5 mm.

LOCKTYPE 0123456789  
Style KI-216 2 Rib -4 mm.

LOCKTYPE 0123456789  
Style KI-220 2 Rib -5 mm.


LOCKTYPE 01234567  
Style KI-224 3 Rib -6 mm.

LOCKTY 0123456  
Style KI-228 3 Rib -8 mm.

LOCK 01234  
Style KI-236 3 Rib -10 mm.

LOC 0123  
Style KI-248 4 Rib -13 mm.

LOC 012  
Style KI-260 5 Rib -16 mm.



Hand stamp

## STYLE KI-900

LOCKTYPE 0123456789  
Style KI-914 2 Rib -3.5 mm.

LOCKTYPE 0123456789  
Style KI-916 2 Rib -4 mm.

LOCKTYPE 0123456789  
Style KI-920 2 Rib -5 mm.

LOCKTYPE 0123456789  
Style KI-924 3 Rib -6 mm.

LOCKTYPE 0123456789  
Style KI-928 3 Rib -8 mm.

LOCKTYPE 0123456  
Style KI-936 3 Rib -10 mm.

LOCKTY 012345  
Style KI-948 4 Rib -13 mm.

LOCK 01234  
Style KI-960 5 Rib -16 mm.

LOC 0123  
Style KI-972 6 Rib -20 mm.

LOC 012  
Style KI-984 7 Rib -23 mm.

## CUSTOM MOLDING

LOCK TYPE

Outline



ESTABLISHED IN 1979

Artwork logotype

วันที่ผลิต  
วันที่หมดอายุ

Thai Font

BEST BEFORE

Logotype

BEST BEFORE


Mirror Image



Easimark EM4

Easipack 2005





LOCKTYPE, Interchangeable ribbed-rubber type fits most rib-based conveyor-line coders and marking machines, and is available in a variety of sizes and type styles. For the finest impressions, LOCKTYPE custom logos, multi-line mats, individual characters and fonts are unsurpassed. LOCKTYPE is compatible with most major brands of ribbed-back type, but nothing matches the precision thickness and alignment of LOCKTYPE.

For unmatched quality, service and value, insist on Locktype.



Your marking and coding company



ESTABLISHED IN 1979

KIMAC LTD., PART. 28 Soi 59 Akarnsongroha 3 Rd., Klongchan, Bangkok, Bangkok 10240

Tel. 662-7367434-6, 662-3773152, 662-3744436 Fax. 662-3778920, 662-7367435

[www.kimacthailand.com](http://www.kimacthailand.com) email: [info@kimacthailand.com](mailto:info@kimacthailand.com)

DISTRIBUTER